UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/560,211	06/26/2006	Josef Rapp	RUF-2.002.PCT.US	2951
22874 GANZ LAW, P	7590 09/15/200 P.C.	8	EXAMINER	
P O BOX 2200			KASTLER, SCOTT R	
HILLSBORO, OR 97123			ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			09/15/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/560,211	RAPP, JOSEF			
Office Action Summary	Examiner	Art Unit			
	Scott Kastler	1793			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on					
	-· action is non-final.				
,	, —				
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
dissect in assertation with the practice and in E.	x parte quayre, 1000 0.D. 11, 10	0.0.210.			
Disposition of Claims					
 4) Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1,2 and 7-9 is/are rejected. 7) Claim(s) 3-6 and 10 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 2/26/2007. 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:					

DETAILED ACTION

Drawings

The subject matter of this application admits of illustration by a drawing to facilitate understanding of the invention. Applicant is required to furnish a drawing under 37 CFR 1.81(c). No new matter may be introduced in the required drawing.

The specification refers to drawings, however, no drawing have yet been submitted to accompany the instant U.S. specification.

Claim Objections

Claims 3-6 and 10 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim can refer to other claims in the alternative only (in the case of instant claim 3) and cannot depend from any other multiple dependent claim (in the case of claims 4-6 and 10). See MPEP § 608.01(n). Accordingly, the claims have not been further treated on the merits.

Claims 1, 8 and 9 are objected to because of the following informalities: The above claims contain terms lacking proper antecedent basis as follows:

- 1. "the outlet pipe" (claim 1 line 5)
- 2. "the cover" (claim 1 line 5)
- 3. "the discharge neck" (claim 8 line 1 and claim 9 line 2)

Appropriate correction is required.

Application/Control Number: 10/560,211 Page 3

Art Unit: 1793

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on

sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2 and 7-9 are rejected under 35 U.S.C. 102(b) as being anticipated by Japanese

2002 144013 (JP'013). In the English language abstract supplied by the applicant for example,

JP'013 teaches a molten metal supply device for supplying molten metal to a casting installation

including a crucible (40) with a cover (41) with a dosing and discharge pump structure including

an outlet pipe as part of a crucible insert extending into the molten metal and through the cover,

which is pivotable, where the pipe includes a discharge neck, thereby showing all aspects of the

above claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Each of Mancusi, teaching a further prior art pumping device and Rapp, the

publication of the instant specification are also cited.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Scott Kastler whose telephone number is (571) 272-1243. The

examiner can normally be reached on Monday through Friday.

Art Unit: 1793

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Scott Kastler/ Primary Examiner, Art Unit 1793

sk